



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4088/162/08/20/2129

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **Hebei Chongtianniu Power Technology Co., Ltd.**
Room 1003, Block B, Runjiang Huigu Building, No.95 Qilian Street,
High-tech Zone, SJZ
China

Description

PPE Type : **protective glove against microorganisms risks**
Product reference : **JZ0010 JZ0020 JZ0030 JZ0040**
Article code :
Glove description : **Disposable Nitrile Gloves**
Available sizes : **6/S(JZ0010) 7/M(JZ0020) 8/L(JZ0030) 9/XL(JZ0040)**

Pictures :



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN ISO 374-5:2016

MICRO-ORGANISMS

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from AUGUST 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 05 August 2020
End of validity date : 05 August 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Hebei Chongtianniu Power Technology Co., Ltd.

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	JZ0010 JZ0020 JZ0030 JZ0040
Article code	:	
Technical file index	:	01
Last update	:	AUGUST 2020

IDENTIFICATION

Reference of the product : JZ0010 JZ0020 JZ0030 JZ0040
Article code :
Basic Model
Technical file index : 01
Last update : AUGUST 2020

Manufacturer :

Hebei Chongtianniu Power Technology Co., Ltd.

Room 1003, Block B, Runjiang Huigu Building, No.95 Qilian Street, High-tech Zone,
SJZ

China

tel : 0311-85837118

Factory :

Hebei Chongtianniu Power Technology Co., Ltd.

Room 1003, Block B, Runjiang Huigu Building, No.95 Qilian Street, High-tech Zone,
SJZ

China

tel: 0311-85837118

GLOVE DESCRIPTION

General glove description :

Disposable Nitrile Gloves

This glove is designed against microorganisms risks .

type of coating finish : no coating

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		blue	nitrile			0.08mm
Back		blue	nitrile			0.08mm
Cuff		blue	nitrile			0.08mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed against microorganisms risks .
It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5
Available Size Range: 6/S(JZ0010)-9/XL(JZ0040)

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Hand size	Hand circumference (mm)	Hand length (mm)
6/S(JZ0010)	85	160
7/M(JZ0020)	95	171
8/L(JZ0030)	105	182
9/XL(JZ0040)	115	192

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism
Uncontrolled against viruses

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S200605892_1	
EN ISO 374-5	S200605892_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : JZ0010 JZ0020 JZ0030 JZ0040

Article Code :

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking of packaging example :



Method of marking on the glove :

Print on the box

Packaging :

50 Pairs / boxes, 10 boxes / external pack

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

MEANS OF CONTROL

1. According to certain chemical standard, we test and check the raw material before we accept them from our supplier, we keep the material at proper place and condition, marked available date and code of supplier.
2. Mainly we check the raw material for every batch. We put them at the certain place in warehouse.
3. For packing precessing, every step check the last step, signing the name of the last one.
4. We do a simple and tested by a competent laboratory CTC Shanghai as per Air leak & Water leak testing every one month. If the test result compliance with the relevant standards and reach to our requirement, we will produce mass production same as the samples, and check at least 2% of total quantity before shipment.

INSTRUCTION FOR USE

Hebei Chongtianniu Power Technology Co., Ltd.

Room 1003, Block B, Runjiang Huigu Building, No.95 Qilian Street, High-tech Zone, SJZ

China

Glove reference : JZ0010 JZ0020 JZ0030 JZ0040

Article code:

User notice index : 01

Last update : AUGUST 2020

包装盒 S



Glove description :

Disposable Nitrile Gloves

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

"The glove meets the requirements of the standard EN ISO 21420 : 2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available Size Range: A different hand sizing system from the one defined in EN ISO 21420 Annex B is used:

Hand size	Hand circumference (mm)	Hand length (mm)
6/S(JZ0010)	85	160
7/M(JZ0020)	95	171
8/L(JZ0030)	105	182
9/XL(JZ0040)	115	192

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Microorganism - EN ISO 374-5 : 2016

Microorganism resistant

Conform



Protection limit :

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.
This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.
The protection against risks or hazards which are not mentioned in this document is not warranted.
These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.
The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. The glove is not washable.
Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).
This glove shall not be in contact with fire.
For gloves with different layers of material, the performance levels are warranted only for the whole glove.
The penetration resistance has been assessed under laboratory conditions and relates only to the tested specimen.
Uncontrolled against viruses*

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available with product.